L Number	Hits	Search Text	DB	Time stamp
1	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:16
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		. ,
		message\$1 data) near10 (aviala\$4 free\$4 desir\$4		
		possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1) near10		
		equal\$1 near10 ("1" or one)		
2	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:54
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 (avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10 ("1" or one)		
3	0	(1 or one) (disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:51
	U	send\$4 forward\$4 rout\$4 input\$4) near10 (avail\$6 free\$4	05171	200 1/10/01 10.51
		desir\$4 possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1)		
		near10 equal\$1 near10 ("1" or one)		
4	29	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:52
		send\$4 forward\$4 rout\$4 input\$4) near10 (link\$1 rout\$1		
		path\$1 line\$1) near10 equal\$1 near10 ("1" or one)		
5	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:55
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
	!	message\$1 data) same (avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
_	0	("1" or one)	USPAT	2004/10/01 10:55
6	U	((disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4 send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 10.55
		message\$1 data)) same ((avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
		("1" or one))		
7	16	((disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 10:58
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data)) and ((avail\$6 free\$4 desir\$4 possible\$1)		
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
	2001	("1" or one))	LICOAT	2004/40/04 44 00
9	3661	370/229-237.ccls.	USPAT; US-PGPUB;	2004/10/01 11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	j
8	1	((disabl\$4 stop\$4 halt\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 11:00
		message\$1 data)) near10 ((avail\$6 free\$4 desir\$4		
		possible\$1) near10 (link\$1 rout\$1 path\$1 line\$1) near10		
		equal\$1 near10 ("1" or one))		
10	16	370/229-237.ccls. and ((avail\$6 free\$4 desir\$4 possible\$1)	USPAT	2004/10/01 11:12
		near10 (link\$1 rout\$1 path\$1 line\$1) near10 equal\$1 near10		
	2	("1" or one)) (disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:10
11		cuisabis4 scops4 fiaits4) flear10 (trafisfilits4 trafisfilis554 send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 11:10
		message\$1 data) near10 (link\$1 rout\$1 path\$1 line\$1)		
		near10 equal\$1 near10 (""" or one)		
12	8	(disabl\$4 stop\$4 halt\$4) near10 (cell\$1 packet\$1	USPAT	2004/10/01 11:11
		message\$1 data) near10 (link\$1 rout\$1 path\$1 line\$1)		
		near10 equal\$1 near10 ("1" or one)		
14	2	370/229-237.ccls. and ((link\$1 rout\$1 path\$1 line\$1) near10	USPAT	2004/10/01 11:12
		equal\$1 near10 ("1" or one)).ab.	LICDAT	2004/40/04 44 42
13	112	370/229-237.ccls. and ((link\$1 rout\$1 path\$1 line\$1) near10	USPAT	2004/10/01 11:13
15	381	equal\$1 near10 ("1" or one)) (disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:28
12	201	(disabis4 stop54 nait54) near10 (transmit54 transmis554 send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1	USPAT	2007/10/01 11:28
		message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
		path\$1 line\$1)		
		Panita 11/047	l	L

		 		
17	0	(disabl\$4 stop\$4 halt\$4) near3 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:17
		send\$4 forward\$4 rout\$4 input\$4) near3 (cell\$1 packet\$1		
		message\$1 data) near3 ("1" or one) near3 (aviala\$4 free\$4		
		desir\$4 possible\$1) near3 (link\$1 rout\$1 path\$1 line\$1)		:
16	8	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near10 (aviala\$4		
		free\$4 desir\$4 possible\$1) near10 (link\$1 rout\$1 path\$1		
		line\$1)		
18	9	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:26
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
		path\$1 line\$1) and 370/229-237.ccls.		
19	381	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near10 (link\$1 rout\$1		
		path\$1 line\$1)		
20	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 (cell\$1 packet\$1		, ,
		message\$1 data) near10 when near10 ("1" or one) near10		
		(link\$1 rout\$1 path\$1 line\$1)		
21	0	(disabl\$4 stop\$4 halt\$4) near10 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:27
		send\$4 forward\$4 rout\$4 input\$4) near10 when near10		
		(cell\$1 packet\$1 message\$1 data) near10 ("1" or one)		
		near10 (link\$1 rout\$1 path\$1 line\$1)		
22	72	(disabl\$4 stop\$4 halt\$4) near3 (transmit\$4 transmiss\$4	USPAT	2004/10/01 11:39
	· -	send\$4 forward\$4 rout\$4 input\$4) near3 (cell\$1 packet\$1		
		message\$1 data) near10 ("1" or one) near3 (link\$1 rout\$1		
		path\$1 line\$1)		
23	457	(("1" or one) adj1 (possible good availab\$4) adj1 (link\$1	USPAT	2004/10/01 11:48
		rout\$1 path\$1 line\$1))	55.7	
24	10	370/229-237.ccls. and ((("1" or one) adj1 (possible good	USPAT	2004/10/01 11:41
- '		availab\$4) adj1 (link\$1 rout\$1 path\$1 line\$1)))	55.7	,,,
25	0	((("1" or one) near3 (possible good availab\$4) near3 (link\$1	USPAT	2004/10/01 11:51
		rout\$1 path\$1 line\$1)) same (disabl\$4 stop\$4 prohibit\$4))	55.7	200 1, 20, 02 22.02
		and 370/229-237.ccls.		
26	47	((("1" or one) near3 (possible good availab\$4) near3 (link\$1	USPAT	2004/10/01 11:52
	,,	rout\$1 path\$1 line\$1)) same (feedback\$1 backpressure\$1))	33.7	200 1, 20, 02 22:02
_	57	((370/216).CCLS.) and ((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 11:05
		system\$1) and (input\$1 same output\$1) near10	55.7	
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7))		
_	530	370/217,210,220.ccls.	USPAT	2003/08/28 10:43
_	607	370/241.1,242,244.ccls.	USPAT	2003/08/28 10:44
-	12258	((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1 same	USPAT	2003/08/28 11:21
	12250	output\$1) near10 (componet\$1 or divice\$1 or equipment\$1	001711	2000,00,20 11:21
		or element\$1) and network\$1 (error\$1 or fault\$1 or		
		defect\$1 or failure\$1) near10 (report\$1 or notif\$7))		
_	63	370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:45
	03	system\$1) and (input\$1 same output\$1) near10	0517(1	2003/00/20 10:13
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7)))		
_	7	370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:51
	,	system\$1) and (input\$1 same output\$1) near10	551 7.1	2003/00/20 10.31
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7))) and 370/241.1,242,244.ccls.		
		Treat to (reported or from \$77) and \$70/271.1,272,277.005.	1	I

-	15	(370/217,210,220.ccls. and (((packet\$1 adj1 swith\$3 adj1	USPAT	2003/08/28 10:59
		system\$1) and (input\$1 same output\$1) near10		
		(componet\$1 or divice\$1 or equipment\$1 or element\$1) and		
		network\$1 (error\$1 or fault\$1 or defect\$1 or failure\$1)		
		near10 (report\$1 or notif\$7)))) and routing\$1 adj1 table\$1		
-	1	"6418115"	USPAT	2003/08/28 10:59
-	5	("4907253" "5398236" "5452286" "5461607"	USPAT	2003/08/28 10:59
		"5471460").PN.		
-	34	370/217,210,220.ccls. and 370/241.1,242,244.ccls.	USPAT	2003/08/28 11:14
-	4416	(((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1	USPAT	2003/08/28 11:22
		same output\$1) near10 (componet\$1 or divice\$1 or		
		equipment\$1 or element\$1) and network\$1 (error\$1 or		
		fault\$1 or defect\$1 or failure\$1) near10 (report\$1 or		
		notif\$7))) and (rout\$3 with table\$1 or route\$3)		
-	48	((((packet\$1 adj1 swith\$3 adj1 system\$1) and (input\$1	USPAT	2003/08/28 11:23
		same output\$1) near10 (componet\$1 or divice\$1 or	55.7	2000,00,20 22:20
		equipment\$1 or element\$1) and network\$1 (error\$1 or		
		fault\$1 or defect\$1 or failure\$1) near10 (report\$1 or		
		notif\$7))) and (rout\$3 with table\$1 or route\$3)) and		
		370/217,210,220.ccls.		
_	8	("5222063" "5426420" "5467347" "5740157"	USPAT	2004/02/08 14:41
-	°	(3222063 3426420 3467347 3740137	USPAI	2007/02/00 14.41
	FAE		LICDAT.	2004/02/09 44:50
-	545	370/216.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		070/047	IBM_TDB	
-	324	370/217.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	191	370/218.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	91	370/219.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	134	370/220.ccls.	USPAT;	2004/02/08 14:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	249	370/225.ccls.	USPAT;	2004/02/08 14:59
]			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	592	370/228.ccls.	USPAT;	2004/02/08 15:00
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	= , : ., : = , : : 25.30
1	:		EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
1_	106	370/227.ccls.	USPAT;	2004/02/08 15:00
1	100	- 37 3/ 227 .0013.	US-PGPUB;	200 1/02/00 13:00
1			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
			םטו_ויוטג	l

			1= :=	T
-	49	370/241.1.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	606	370/242.ccls.	USPAT;	2004/02/08 15:00
			US-PGPUB;	
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
<u> </u>	336	370/244.ccls.	USPAT;	2004/02/08 15:00
	330	370/211.003.	US-PGPUB;	2001/02/00 13:00
			EPO; JPO;	
			DERWENT;	
	222	744/700	IBM_TDB	2004/00/00 45 04
-	239	714/799.ccls.	USPAT;	2004/02/08 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	951	714/1-2.ccls.	USPAT;	2004/02/08 15:01
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1364	714/25.ccls.	USPAT;	2004/02/08 15:02
	1501	71 1/23.003.	US-PGPUB;	2001/02/00 13.02
			EPO; JPO;	
			DERWENT;	
	25250		IBM_TDB	2004/02/00 45.02
-	25358	packet\$4 near3 switch\$4	USPAT;	2004/02/08 15:03
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	1724170	input\$4 and output\$4	USPAT;	2004/02/08 15:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
,			IBM_TDB	
-	46622	(notif\$4 or broadcast\$4 or respon\$6 or report\$4 or	USPAT;	2004/02/08 15:18
1		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	US-PGPUB;	, ,
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6) same (input\$4)	DERWENT;	
		, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	86	370/216.ccls. and (packet\$4 near3 switch\$4)	USPAT;	2004/02/08 15:09
	55	2. 3, 220,0000, and (pashed) incare officing ()	US-PGPUB;	200 1, 02,00 15.05
		, '	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/09 15:57
_	ا			2004/02/08 15:57
		or broadcast\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
		(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
		same (input\$4))	IBM_TDB	
-	267609	(notif\$4 or broadcast\$4 or respon\$6 or report\$4 or	USPAT;	2004/02/08 15:32
		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	US-PGPUB;	
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
]		defect\$4 maulfunct\$6)	DERWENT;	
			IBM_TDB	

-	47	370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/08 15:19
		or broadcast\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
		(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6))	DERWENT;	
			IBM_TDB	
-	357712	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	USPAT;	2004/02/08 18:14
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
			IBM_TDB	
-	62	370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/08 15:20
		or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or	US-PGPUB;	. ,
	İ	acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	EPO; JPO;	
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	DERWENT;	
		defect\$4 or maulfunct\$6 or fault\$4))	IBM_TDB	
-	2005127	(switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or	USPAT;	2004/02/08 16:23
		(se) or (multi-stag\$4) or multistag\$4	US-PGPUB;	
		(co) or (man compt ty or manacompt t	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	(370/216.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/08 15:21
	30	or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or	US-PGPUB;	2001/02/00 13:21
		acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	EPO; JPO;	
		near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or	DERWENT;	
		defect\$4 or maulfunct\$6 or fault\$4))) and ((switch\$4 near3	IBM_TDB	
		element\$1) or (switch\$4 near3 fabric\$4) or (se) or	10.1_100	
		(multi-stag\$4) or multistag\$4)		
_	10889	(notif\$4 or broadcast\$4 or respon\$6 or report\$4 or	USPAT;	2004/02/08 15:34
	10005	acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed	US-PGPUB;	200 1/02/00 13.51
		near3 back\$4)) near10 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6) near10 (packet\$1 or messag\$4 or	DERWENT;	
	-	traffic\$4)	IBM_TDB	
_	82	370/216.ccls. and ((notif\$4 or broadcast\$4 or respon\$6 or	USPAT;	2004/02/08 15:58
İ	02	report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	2001/02/00 13:50
		or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6) near10 (packet\$1 or	DERWENT;	
		messag\$4 or traffic\$4))	IBM_TDB	
_	34	370/217.ccls. and ((notif\$4 or broadcast\$4 or respon\$6 or	USPAT;	2004/02/08 16:08
	"	report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	2001/02/00 10:00
		or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6) near10 (packet\$1 or	DERWENT;	
		messag\$4 or traffic\$4))	IBM_TDB	
_	94	370/217.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:08
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	47	370/217.ccls. and (packet\$4 near3 switch\$4)	USPAT;	2004/02/08 16:23
	"	- 575227.5565. and (packety) floats strictly f	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	370/217.ccls. and (packet\$4 near3 switch\$4) and ((notif\$4	USPAT;	2004/02/08 16:22
		or broadcast\$4 or respon\$6 or report\$4 or acknowledg\$4 or	US-PGPUB;	130 1, 02, 00 10.22
		backpressu\$4 or feed-back\$4 or (feed near3 back\$4))	EPO; JPO;	
		near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4	DERWENT;	
		maulfunct\$6) near10 (packet\$1 or messag\$4 or traffic\$4))	IBM_TDB	
1.	2	("5229990").PN.	USPAT;	2004/02/08 16:14
-	2	(3223330 J.F.W.	US-PGPUB;	2007/02/00 10.14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L	L		סטו ויוטג ן	l

-	7	("3805039" "4146749" "4566102" "4654842" "4656622" "4700340" "4899334").PN.	USPAT	2004/02/08 16:11
l <u>-</u>	33	5229990.URPN.	USPAT	2004/02/08 16:12
_	1	5229990.URPN. and ((notif\$4 or broadcast\$4 or respon\$6 or	USPAT;	2004/02/08 16:14
	_	report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	US-PGPUB;	200 1, 02, 00 20,21
		or (feed near3 back\$4)) near10 (erro\$6 or abnormal\$6 or	EPO; JPO;	
		fai\$6 or defect\$4 maulfunct\$6) near10 (packet\$1 or	DERWENT;	
		messag\$4 or traffic\$4))	IBM_TDB	
-	125	370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:23
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
			IBM_TDB	
-	2020762	(370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:24
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
)) an ((switch\$4 near3 element\$1) or (switch\$4 near3	IBM_TDB	
		fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	_	
-	39	(370/218.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or	USPAT;	2004/02/08 16:24
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	US-PGPUB;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	EPO; JPO;	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)	DERWENT;	
)) and ((switch\$4 near3 element\$1) or (switch\$4 near3	IBM_TDB	
	20	fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	LICDAT.	2004/02/00 16:46
-	28	370/219.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:46
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	19	370/219.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:51
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	200 1/02/00 10.51
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	_	
-	26	370/220.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 16:56
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	<u></u>	
-	35	370/225.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:07
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
	42	fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	LICDAT	2004/02/09 17:16
-	42	370/228.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT; US-PGPUB;	2004/02/08 17:16
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4) and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	1
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	100	
_	7	370/227.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:17
	,	near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	-30 1, 32, 33 17.17
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
}		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
		· · · · · · · · · · · · · · · · · · ·		·

-	8	370/241.1.ccls. and ((switch\$4 near3 element\$1) or	USPAT;	2004/02/08 17:20
		(switch\$4 near3 fabric\$4) or (se) or (multi-stag\$4) or	US-PGPUB;	
		multistag\$4) and ((notif\$4 or broadcast\$4 or distribut\$4 or	EPO; JPO;	
		respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or	DERWENT;	
		feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or	IBM_TDB	
		abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4)		
Ì	FE	270/242 cele_and (/awitcht4 naar2 alamontt1) or (awitcht4	LICDAT.	2004/02/09 47:25
-	55	370/242.ccls. and ((switch\$4 near3 element\$1) or (switch\$4 near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	USPAT; US-PGPUB;	2004/02/08 17:25
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	1511_155	
-	73	370/244.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:38
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	, .
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	10	714/799.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:39
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	EPO; JPO;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	DERWENT; IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	1011_100	
_	47	714/1-2.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:41
	., ,	near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	2001,02,001,.11
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or	IBM_TDB	
		fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))		
-	62	714/25.ccls. and ((switch\$4 near3 element\$1) or (switch\$4	USPAT;	2004/02/08 17:41
		near3 fabric\$4) or (se) or (multi-stag\$4) or multistag\$4)	US-PGPUB;	
		and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or	EPO; JPO;	
		report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT;	
		or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 or maulfunct\$6 or fault\$4))	IBM_TDB	
1.	2	("5848227").PN.	USPAT;	2004/02/08 18:14
		(3610227).114.	US-PGPUB;	2001/02/00 10:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("4984240" "5588111").PN.	USPAT	2004/02/08 18:14
-	24	(US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or	USPAT	2004/02/09 09:46
		US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or		
		US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or		
		US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or		
		US-6490246-\$ or US-6366557-\$ or US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or		
		US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or		
		US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.		
-	8	(broadcast\$4) and ((US-4399531-\$ or US-4630259-\$ or	USPAT;	2004/02/09 10:02
		US-6594227-\$ or US-6507562-\$ or US-6031819-\$ or	US-PGPUB;	= 3 - 4 - = 4 - = 4 - 4 - 4 - 4
		US-5872904-\$ or US-5848227-\$ or US-5522046-\$ or	EPO; JPO;	
		US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or	DERWENT;	
		US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or	IBM_TDB	
		US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or		
		US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or		
		US-5901136-\$ or US-4561090-\$ or US-4745593-\$ or		
		US-6411599-\$).did.)	L	

				· · · · · · · · · · · · · · · · · · ·
-	2961	(broadcast\$4) and (updat\$4 near10 rout\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 10:02
-	0	(broadcast\$4) and (updat\$4 near10 rout\$4) and ((US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or	IBM_TDB USPAT; US-PGPUB;	2004/02/09 10:02
		US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or	EPO; JPO; DERWENT; IBM_TDB	
-	4	US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.) (broadcast\$4) and (updat\$4 near10 table\$1) and ((US-4399531-\$ or US-4630259-\$ or US-6594227-\$ or US-6507562-\$ or US-6031819-\$ or US-5872904-\$ or US-5848227-\$ or US-5522046-\$ or US-6343067-\$ or US-6246665-\$ or US-6122753-\$ or US-5161156-\$ or US-5027342-\$ or US-6366557-\$ or US-6021111-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 10:04
		US-6490246-\$ or US-6049524-\$ or US-5461607-\$ or US-5398236-\$ or US-5365511-\$ or US-5901136-\$ or US-4561090-\$ or US-4745593-\$ or US-6411599-\$).did.)		
-	364	(broadcast\$4) near10 (updat\$4 near10 table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/09 10:18
-	213	(broadcast\$4) near3 (updat\$4 near10 table\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/09 10:18
-	2	("5265092").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
- ,	2	("5161156").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
-	2	("4734907").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/10 12:21
-	3661	370/229-237.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/30 11:07
-	57016	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/30 11:43
-	322	or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (input\$4) 370/387-388.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/30 11:09
		·	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	,,
	10/1/0	12:09:57 DM Page 8	· –	

Search History 10/1/04 12:09:57 PM Page 8

USPAT; U					
backpressu44 or feed-back\$4 or (feed near3 back\$4) same (erro\$6 or abnormal\$6 or fals6 or defect\$4 maulfunct\$6) Same (input\$4)) and 370/387-388.ccls. USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) and 370/387-388.ccls. USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM, TDB and (input\$4) USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	0			2004/09/30 11:09
Gerröß or abnormalsß or faisß or defects maufuncts DERWENT; Same (inputs4) and 370/387-388.cds. Sand (inotifs4 or broadcasts4 or distributs4 or respons6 or reports4 or acknowledgs4 or backpressus4 or feed-backs4 or (feed near3 backs4)) same (inputs4) Same (inputs4)					
Same (inputs4) and 370/387-388.cds. IBM_TOB 2004/09/30 11:10 370/229-237.cds. and (inputs4) US-PGPUB; EPO; JPO; DERWENT; IBM_TOB US-PGPUB; EPO; JPO; DERWENT; IBM_			backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same	EPO; JPO;	
Same (inputs4) and 370/387-388.cds. IBM_TOB 2004/09/30 11:10 370/229-237.cds. and (inputs4) US-PGPUB; EPO; JPO; DERWENT; IBM_TOB US-PGPUB; EPO; JPO; DERWENT; IBM_		ļ	(erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)	DERWENT;	
distributs4 or respons6 or reports4 or adxnowledgs4 or backgressus4 or feed-backs4 or (feed near3 backs4)) same (erros6 or abnormals6 or fals6 or defects4 maulfuncts6)				IBM_TDB	
distributs4 or respons6 or reports4 or adxnowledgs4 or backgressus4 or feed-backs4 or (feed near3 backs4)) same (erros6 or abnormals6 or fals6 or defects4 maulfuncts6)	-	143			2004/09/30 11:10
backpressus4 or feed-backs4 or (feed near3 backs4)) same (erros6 or anhormals6 or fais6 or defects4 mauffunct\$6) same (input\$4)) 370/229-237.ccls. and 370/387-388.ccls.					
(erro\$6 or abnormal\$6 or fal\$6 or defect\$4 maulfunct\$6) Same (input\$4] 370/229-237.ccls. and 370/387-388.ccls. USPAT; USPAPT;					
Same (Inputs4) 370/289-237.ccls. and 370/387-388.ccls. ISM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_T					
367198					
US-PGPUB;	_	8			2004/09/30 11:18
- 367198 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (packet\$1 cell\$1 message\$1 signal\$1) - 322 370/387-388.ccls. and 370/387-388.ccls. - 83 370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or defed-back\$4 or feed-back\$4 or defed-back\$4 or defed-back\$4 or defed-back\$4 or feed-back\$4 or defed-back\$4 or defed-back\$4 or feed-back\$4 or defed-back\$4 or defed-back\$4 or feed-back\$4 or defed-back\$4 or defed-b			37 9, 223 237 13333, and 37 9, 337 333 333	,	250 1, 05, 50 11:10
367198					
367198					
367198	!				
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB; or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) US-PGPUB; or (feed near3 back\$4) or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 US-PGPUB; or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (packet\$1 cell\$1 IBM_TDB US-PGPUB; or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) US-PGPUB; ePO; JPO; DERWENT; message\$1 signal\$1) US-PGPUB; ePO; JPO; DERWENT; message\$1 or fai\$6 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 conges\$4 US-PGPUB; ePO; JPO; DERWENT; message\$1) US-PGPUB; ePO; JPO; DERWENT; message\$1 US-PGPUB; ePO; JPO; DERWENT; ePO; JPO; DERWENT; ePO; JPO; DERWENT		267100	(notifit) or broadcast() or distribut() or respect() or		2004/00/20 11:17
171232	-	30/190		1 '	2004/09/30 11:17
faiş6 or defectş4 maulfunctş6 DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
171232					
171232			raiso or derects4 mauiruncts6)		
report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (packet\$1 cell\$1 message\$1 signal\$1) 370/387-388.ccls. and 370/387-388.ccls. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_		47455	/		2004/20/25
or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6) same (packet\$1 cell\$1 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	1/1232			2004/09/30 11:18
Fais6 or defect\$4 maulfunct\$6) same (packet\$1 cell\$1 message\$1 signal\$1)					
message\$1 signal\$1) 370/387-388.ccls. and 370/387-388.ccls. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
322 370/387-388.ccls. and 370/387-388.ccls. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGP					
B3 370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or defect\$4 or distribut\$4 or defect\$4 or distribut\$4 or defect\$4 or distribut\$4 or defect\$4 or distribut\$4 or defect\$4 or distribut\$4 or defect\$4 or	-	322	370/387-388.ccls. and 370/387-388.ccls.		2004/09/30 11:19
- 83 370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) - 41507 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near10 (packet\$1 cell\$1 message\$1) - 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) - 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) - 3565 (packet\$1 cell\$1 message\$1) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) - 3565 (packet\$1 cell\$1 message\$1) (packet\$1 cell\$1 message\$1) - 3565 (packet\$1 cell\$1 message\$1) (packet\$1				US-PGPUB;	
- 83 370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or defect\$4 maulfunct\$6)] same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)] core fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4				EPO; JPO;	
83 370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or defect\$4 maulfunct\$6) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or defect\$4 maulfunct\$6) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)				DERWENT;	
broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 por distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) por por por por por por por por por por				IBM_TDB	
broadcast\$4 or distribut\$4 or respon\$6 or report\$4 or acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 por distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) por por por por por por por por por por	-	83	370/387-388.ccls. and 370/387-388.ccls. and ((notif\$4 or		2004/09/30 11:19
acknowledg\$4 or backpressu\$4 or feed-back\$4 or (feed near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) 41507 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4					
near3 back\$4)) same (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6)) 41507					
defect\$4 maulfunct\$6)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 prize for ala					
- 41507 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4					
report\$4 send\$4 transmit\$4) near10 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 berwell (alarm\$1 cong	-	41507			2004/09/30 11:46
or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near10 (packet\$1 cell\$1 message\$1) 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 of airbiut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 naulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (packet\$1 cell\$1 message\$1) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 or perport\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 or perport\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 or perport\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 or perport\$5 or perport\$5 or perport\$6 or perpo					,,
maintain\$4 oam) near10 (packet\$1 cell\$1 message\$1) DERWENT; IBM_TDB USPAT; USPGPUB; or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (packet\$1 cell\$1 message\$1) - 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)) - 3565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 message\$1) - 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 565 DERWENT;					
- 18036 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 properties and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 properties alarm\$1 congest\$4 properties alarm\$1			mannamy round, nounce (protectly a conf a mescago) and		
report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 por maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 por maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) 13565 3565 376/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 meintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 570/229-237.ccls. and (370/229-237.ccls. and (0.0tif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 580/229-237.ccls. and (370/229-237.ccls. and (0.0tif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or report\$4 send\$4 transmi	_	18036	(notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or		2004/09/30 11:49
or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)) 13565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 message\$1) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 message\$1) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$5 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 message\$1) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$6 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 1565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or report\$4 send\$4 transmit\$4 or respon\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) 1565 (notif\$5 or defect\$4 maintain\$4 oam) 1576 (notif\$5 or defect\$4 maintain\$4 oam) 1577 (packet\$5 or defect\$5 or					
- 565 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4)					
- S65 370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 properts (packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 properts (packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 properts (packet\$1 cell\$1 message\$1) (packet\$1 cell\$1 message\$			mamamy roung nouro (packety) continuosagety)		
distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 mouldingt\$4 or perport\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	_	565	370/229-237 ccls, and ((notife4 or broadcaste4 or		2004/09/30 11:49
near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; BPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; Derwent;] 303		1 '	2007/03/30 11.49
maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) near3 (packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;					
(packet\$1 cell\$1 message\$1)) (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maulfunct\$6 alarm\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; BM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 3565 (notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4					
report\$4 send\$4 transmit\$4) adj1 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) VS-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT;		3565			2004/00/20 11 12
fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$\$6 or report\$4 send\$\$4 transmit\$\$4\$) near3 (erro\$\$6 or abnormal\$\$6 or fai\$\$6 or defect\$\$4 maulfunct\$\$6 alarm\$\$1\$ congest\$\$4 maintain\$\$4\$ oam) EPO; JPO; USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	3565			2004/09/30 11:49
maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1) 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 US-PGPUB; transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT; US-PGPUB; EPO; JPO; DERWENT;				,	
- 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 US-PGPUB; transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT;					
- 565 370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 US-PGPUB; transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT;			maintain\$4 oam) adj1 (packet\$1 cell\$1 message\$1)		
broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 US-PGPUB; transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT;					
transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) EPO; JPO; DERWENT;	-	565			2004/10/01 11:00
defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam) DERWENT;				US-PGPUB;	
			transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
			defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		<u></u>			

-	147	370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 11:50
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4 transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	US-PGPUB; EPO; JPO;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and stage\$1	IBM_TDB	
_	57	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:44
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	2001/05/50 10:11
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
-		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same	IBM_TDB	
		switch\$2)		
-	2	("5689506").PN.	USPAT;	2004/09/30 16:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	9	turner.in. and cisco.as.	IBM_TDB USPAT;	2004/09/30 16:16
		differ.in. and cisco.as.	US-PGPUB;	2004/03/30 10.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	134	turner.in. and broadcast\$4	USPAT;	2004/09/30 16:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	20		IBM_TDB	0004/00/00 46 47
-	30	turner.in. and broadcast\$4 and stag\$4	USPAT;	2004/09/30 16:17
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		1	IBM_TDB	
-	129	turner.in. and broadcast\$4 not cisco.as.	USPAT;	2004/09/30 16:19
		'	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	turner-jonathan-s.in. and broadcast\$4 not cisco.as.	USPAT;	2004/09/30 16:34
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	turner-jonathan.in. and broadcast\$4 not cisco.as.	USPAT;	2004/09/30 16:19
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	turner.in. and broadcast\$4 not cisco.as. and stage\$4 and	USPAT;	2004/09/30 16:19
		atm	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	•
-	4	((backpressure\$1 feedback\$1) adj1 packet\$1).ab.	USPAT;	2004/09/30 18:37
	'	(/ and the second of a second of a prostock a final of a second of	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	100	((congest\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
	I		ם חו ויוטגן	

-	0	((send\$4 transmit\$4) adj1 (congest\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	52	((send\$4 transmit\$4) and (congest\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 16:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	57	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:45
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same	IBM_TDB	
		switch\$2)		
_	2	370/229-237.ccls. and (370/229-237.ccls. and ((notif\$4 or	USPAT;	2004/09/30 16:45
		broadcast\$4 or distribut\$4 or respon\$6 or report\$4 send\$4	US-PGPUB;	,,
		transmit\$4) near3 (erro\$6 or abnormal\$6 or fai\$6 or	EPO; JPO;	
		defect\$4 maulfunct\$6 alarm\$1 congest\$4 maintain\$4 oam)	DERWENT;	
		near3 (packet\$1 cell\$1 message\$1))) and (stage\$1 same	IBM_TDB	
		switch\$2) and chiussi.in.		
-	374	((broadcast\$4) adj1 packet\$1).ab.	USPAT;	2004/09/30 18:38
		((US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
_	99	(((broadcast\$4) adj1 packet\$1) and address\$4).ab.	USPAT;	2004/09/30 18:38
		(((2/244444)/445)2	US-PGPUB;	200 1/05/00 20100
	,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	35	(((broadcast\$4) adj1 packet\$1) and address\$4 and	USPAT;	2004/09/30 18:39
		destinat\$4).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	